







Calculation policy: addition


Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

| Concrete | Pictorial | Abstract |
|--|--|--|
| <p>Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).</p>  | <p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p>  | <p>$4 + 3 = 7$ Four is a part, 3 is a part and the whole is seven.</p>  |
| <p>Counting on using number lines using cubes or Numicon.</p>  | <p>A bar model which encourages the children to count on, rather than count all.</p>  | <p>The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? $4 + 2$</p>  |

Concrete


Regrouping to make 10; using ten frames and counters/cubes or using Numicon.

$$6 + 5$$



Pictorial

Children to draw the ten frame and counters/cubes.



Abstract

Children to develop an understanding of equality e.g.


$$6 + \square = 11$$

$$6 + 5 = 5 + \square$$


$$6 + 5 = \square + 4$$

10 + 0 using base 10. Continue to develop understanding of partitioning and place value.


$$41 + 8$$



Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.




$$41 + 8$$




$$1 + 8 = 9$$

$$40 + 9 = 49$$




Concrete

T0 + T0 using base 10. Continue to develop understanding of partitioning and place value.
 $36 + 25$



Pictorial

Children to represent the base 10 in a place value chart.



Abstract

Looking for ways to make 10.

$$36 + 25 = 30 + 20 = 50$$

$$5 + 5 = 10$$


$$50 + 10 + 1 = 61$$

36


Formal method:

$$\begin{array}{r} 36 \\ +25 \\ \hline 61 \\ \hline 1 \end{array}$$

Use of place value counters to add HTO + T0, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.




Children to represent the counters in a place value chart, circling when they make an exchange.



243

$$\begin{array}{r} 243 \\ +368 \\ \hline 611 \\ \hline 1 \quad 1 \end{array}$$

Conceptual variation; different ways to ask children to solve $21 + 34$



| | |
|----|----|
| ? | |
| 21 | 34 |

Word problems:
 In year 3, there are 21 children and in year 4, there are 34 children.
 How many children in total?


$21 + 34 = 55$. Prove it

$$\begin{array}{r} 21 \\ +34 \\ \hline \end{array}$$

$21 + 34 =$

$$\boxed{} = 21 + 34$$

rr



Missing digit problems:








| 10s | 1s |
|-----|----|
| | |
| | ? |
| ? | 5 |

Stem sentences

- Add the numbers in any order
- Answer should be bigger than the other two numbers
- Make sure numbers are lined up – place value
- Use inverse to check

Calculation policy: subtraction


Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

| Concrete | Pictorial | Abstract | | | | |
|---|--|--|---|--|---|---|
| <p>Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p>$4 - 3 = 1$</p>  | <p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p>  | <p>$4 - 3 =$</p> <p> = $4 - 3$</p> <table border="1" data-bbox="1480 568 1792 647"> <tr> <td colspan="2">4</td> </tr> <tr> <td>3</td> <td>?</td> </tr> </table>  | 4 | | 3 | ? |
| 4 | | | | | | |
| 3 | ? | | | | | |
| <p>Counting back (using number lines or number tracks) children start with 6 and count back 2.</p> <p>$6 - 2 = 4$</p>  | <p>Children to represent what they see pictorially e.g.</p>  | <p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p>  | | | | |

Concrete


Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used).

Calculate the difference between 8 and 5.



Pictorial

Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.



Abstract

Find the difference between 8 and 5.


8 - 5, the difference is

Children to explore why


9 - 6 = 8 - 5 = 7 - 4 have the same difference.

Making 10 using ten frames.

14 - 5



Children to present the ten frame pictorially and discuss what they did to make 10.



Children to show how they can make 10 by partitioning the subtrahend.

$$14 - 5 = 9$$


$$\begin{array}{c} 4 \quad 1 \end{array}$$

$$14 - 4 = 10$$


$$10 - 1 = 9$$

Column method using base 10.

48 - 7



Children to represent the base 10 pictorially.




Column method or children could count back 7.

| | | |
|---|---|---|
| | 4 | 8 |
| - | | 7 |
| | 4 | 1 |


Concrete

Column method using base 10 and having to exchange.
41 - 26




Pictorial

Represent the base 10 pictorially, remembering to show the exchange.




Abstract


Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because $41 = 30 + 11$.




Column method using place value counters.
234 - 88




Represent the place value counters pictorially; remembering to show what has been exchanged.



Formal column method. Children must understand what has happened when they have crossed out digits.



Conceptual variation; different ways to ask children to solve 391 - 186



| | |
|-----|---|
| 391 | |
| 186 | ? |

Raj spent £391, Timmy spent £186.
How much more did Raj spend?

Calculate the difference between 391 and 186.

$$\square = 391 - 186$$

$$\begin{array}{r} 391 \\ -186 \\ \hline \end{array}$$

What is 186 less than 391?

Missing digit calculations






$$\begin{array}{r} 39\square \\ -\square\square6 \\ \hline \square05 \end{array}$$

Stem sentences

- Take the smallest number away from the largest number
- Start from the ones and move left
- Use inverse to check
- Show on calculation when exchange has happened
- Answer should be smaller than the first number

Calculation policy: multiplication


Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

| Concrete | Pictorial | Abstract |
|--|---|---|
| <p>Repeated grouping/repeated addition 3×4 $4 + 4 + 4$ There are 3 equal groups, with 4 in each group.</p>  <p>The concrete representation shows three jars, each containing four ants, and three groups of four blue blocks.</p> | <p>Children to represent the practical resources in a picture and use a bar model.</p>  <p>The pictorial representation shows three groups of four circles and a bar model divided into three equal sections, each containing four dots, with a bracket underneath and a question mark.</p> | <p>$3 \times 4 = 12$ $4 + 4 + 4 = 12$</p> |
| <p>Number lines to show repeated groups- 3×4</p>  <p>The concrete representation shows three green Cuisenaire rods, each with four white dots, and a number line with three jumps of four.</p> <p>Cuisenaire rods can be used too.</p> | <p>Represent this pictorially alongside a number line e.g.:</p>  <p>The pictorial representation shows a number line from 0 to 12 with three jumps of four, marked at 0, 4, 8, and 12.</p> | <p>Abstract number line showing three jumps of four.</p> <p>$3 \times 4 = 12$</p>  <p>The abstract number line shows three jumps of four from 0 to 12, marked at 0, 4, 8, and 12.</p> |

Concrete

Use arrays to illustrate commutativity counters and other objects can also be used.

$$2 \times 5 = 5 \times 2$$




2 lots of 5

5 lots of 2

Partition to multiply using Numicon, base 10 or Cuisenaire rods.

$$4 \times 15$$



Formal column method with place value counters (base 10 can also be used.) 3×23


| 10s | 1s |
|-----|----|
| | |

6


9

Pictorial


Children to represent the arrays pictorially.



Children to represent the concrete manipulatives pictorially.



Children to represent the counters pictorially.



Abstract

Children to be able to use an array to write a range of calculations e.g.

$$10 = 2 \times 5$$

$$5 \times 2 = 10$$

$$2 + 2 + 2 + 2 + 2 = 10$$

$$10 = 5 + 5$$

Children to be encouraged to show the steps they have taken.

$$\begin{array}{r} 4 \times 15 \\ \swarrow \searrow \\ 10 \quad 5 \end{array}$$

$$10 \times 4 = 40$$

$$5 \times 4 = 20$$

$$40 + 20 = 60$$

A number line can also be used



Children to record what it is they are doing to show understanding.

$$3 \times 23$$

$$3 \times 20 = 60$$

$$20 \quad 3$$

$$3 \times 3 = 9$$



$$60 + 9 = 69$$

$$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$$

Concrete


Formal column method with place value counters.

$$6 \times 23$$



Pictorial

Children to represent the counters/base 10, pictorially e.g. the image below.



Abstract

Formal written method

$$6 \times 23 =$$

$$\begin{array}{r} 23 \\ \times 6 \\ \hline 138 \\ \hline 11 \end{array}$$

When children start to multiply $3d \times 3d$ and $4d \times 2d$ etc., they should be confident with the abstract:

To get 744 children have solved 6×124 .

To get 2480 they have solved 20×124 .

$$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \\ \hline 11 \end{array}$$

Answer: 3224

Conceptual variation; different ways to ask children to solve 6×23

| | | | | | |
|----|----|----|----|----|----|
| 23 | 23 | 23 | 23 | 23 | 23 |
|----|----|----|----|----|----|

?

Mai had to swim 23 lengths, 6 times a week.
How many lengths did she swim in one week?

With the counters, prove that $6 \times 23 = 138$



Find the product of 6 and 23

$$6 \times 23 =$$

$$\boxed{} = 6 \times 23$$

$$\begin{array}{r} 6 \quad 23 \\ \times \underline{23} \quad \times \underline{6} \\ \hline \quad \hline \end{array}$$

What is the calculation?
What is the product?






| 100s | 10s | 1s |
|------|---|---|
| |  |  |

Stem sentences

- Multiplication is the same as repeated addition
- Use place value to control positions
- Use zero as place holders
- Partition numbers as required for column method
- Always start from the ones first
- Remember to include carried numbers

Calculation policy: division

Key language: share, group, divide, divided by, half.

| Concrete | Pictorial | Abstract | | |
|--|---|---|---|---|
| <p>Sharing using a range of objects.</p> <p>$6 \div 2$</p>  | <p>Represent the sharing pictorially.</p>  | <p>$6 \div 2 = 3$</p> <table border="1" data-bbox="1556 550 2004 622"><tr><td>3</td><td>3</td></tr></table> <p>Children should also be encouraged to use their 2 times tables facts.</p> | 3 | 3 |
| 3 | 3 | | | |
| <p>Repeated subtraction using Cuisenaire rods above a ruler.</p> <p>$6 \div 2$</p>  <p>3 groups of 2</p> | <p>Children to represent repeated subtraction pictorially.</p>  | <p>Abstract number line to represent the equal groups that have been subtracted.</p>  <p>3 groups</p> | | |

Concrete

2d + 1d with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used.

$$13 \div 4$$


Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.



There are 3 whole squares, with 1 left over.

Pictorial

Children to represent the lollipop sticks pictorially.




There are 3 whole squares, with 1 left over.

Abstract

$$13 \div 4 = 3 \text{ remainder } 1$$


Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.

'3 groups of 4, with 1 left over'




Sharing using place value counters.

$$42 \div 3 = 14$$



Children to represent the place value counters pictorially.



Children to be able to make sense of the place value counters and write calculations to show the process.

$$42 \div 3$$

$$42 = 30 + 12$$


$$30 \div 3 = 10$$

$$12 \div 3 = 4$$

$$10 + 4 = 14$$

Concrete


Short division using place value counters to group.
 $615 \div 5$



1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?

Pictorial

Represent the place value counters pictorially.



Abstract

Children to the calculation using the short division scaffold.


$$\begin{array}{r} 123 \\ 5 \overline{) 615} \end{array}$$

Concrete


Pictorial

Abstract

Long division using place value counters
 $2544 \div 12$




We can't group 2 thousands into groups of 12 so will exchange them.




We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r}
 02 \\
 12 \overline{) 2544} \\
 \underline{24} \\
 1
 \end{array}$$



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r}
 021 \\
 12 \overline{) 2544} \\
 \underline{24} \\
 14 \\
 \underline{12} \\
 2
 \end{array}$$




After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 groups of 12, which leaves no remainder.

$$\begin{array}{r}
 0212 \\
 12 \overline{) 2544} \\
 \underline{24} \\
 14 \\
 \underline{12} \\
 24 \\
 \underline{24} \\
 0
 \end{array}$$

Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{)615}$$

$$615 \div 5 =$$

$$\square = 615 \div 5$$

What is the calculation?
What is the answer?



Stem sentences

- Answer must be smaller than what you started with
- Larger number inside the bus stop
- In long division note down a few multiples of the divisor
- Use inverse to check
- Division is the same as repeated subtraction